



SUPERTECH

HIGH QUALITY EMULSION PAINT FOR *INTERIOR & EXTERIOR*

MATT FINISHING

Gold



- ✓ Many Color Selection
- ✓ Good Hiding & Easy to Apply

- ✓ Super High Coverage
- ✓ Low Odour & Low VOC

SUPERTECH

HIGH QUALITY EMULSION PAINT FOR *INTERIOR & EXTERIOR*

MATT FINISHING

Gold



EXTERIOR



INTERIOR

Safe for Users & Environment

It is lead-free and mercury-free, with low odor and low VOCs technology. Supertech Gold is one of the green products that is environmental-friendly.



*For Exterior



- ✓ Many Color Selection
- ✓ Good Hiding & Easy to Apply
- ✓ Super High Coverage
- ✓ Low Odour & Low VOC



TOA SuperTech Gold has various color selection

Over 1,000
color shades

*Note: Refer to TOA ColorWorld Fandeck

TOA COLOR WORLD

TOA Color World, Experience color selection with our computerized color tinting machine at TOA's dealers near your house.

Convenient : Choose any colors you want from TOA's fandeck

Time-Saving : High tinting accuracy, within only 3 minutes.

Quality : The same assured quality as paints produced from factory standard



SUPERTECH

HIGH QUALITY EMULSION PAINT FOR *INTERIOR & EXTERIOR*

MATT FINISHING

Gold



EXTERIOR



INTERIOR


*Available in 1 Litre, 5 Litres, and 15 Litres




Banana




Yellow gives excitement, enthusiasm, and imagination.




Shining Bright 7875



Shredded Wheat 7931




Rave Rachel 7971



Cumberland Cream 7987




Liquid Light 7915




Clean Canvas 7938



Sprinkled with Summer 7923




Toes in the Sand 8011




Sea of Sand 7937




Star Fire 7888



Skin Light 8522



Moonlight Beach 7986



Grapes



Purple creates silence, mystery, and charm.



Sweet Illusions 8124




Pink Ice 8140



Rosy View 8172



First Kiss 8179




Sweet and Sassy 8203




Sweet Roses 8139




Spring Petals 8171



Lavender Laugh 7147



Dulce Crystal 8082



Baby Blush 8138




Rosarian 8169



Lilac Garden 7151

• Available in **Black 8144 & White 8145**




Carrot




Pink & Orange show impression and fortune.



Pink Mist 8092



Sweet Icing 8044




Path of Petals 8035




Placid Pink 8211



Sweet Memories 8091



Dulce Day 8043



Sherry Cream 8051



Apple Blossom Time 8209



Calique 8090



Orange Essence 8009



Pink Morn 8041



Spring Cheer 8105




Taro



Brown & Grey create a sense of being secured.




First Frost 8316



Iced Silver 8236




Caribbean Sky 7419



Whispering Smoke 8308



Grey Mist 8315



Sweet Musette 8235



Quiet Sentiment 8267



Prairie Smoke 8290



Wintry Sky 8314



Pashmina 8234



Bali Blue 8266



Cold Steel 8289


*The colors presented are shown as close to actual paint colors as modern printing techniques allow.




Kiwi



Green balances relaxation and refreshment.




Prelude to Summer 7660




Mystic Glow 7548



Eternal Spring 7636




Imagine 7524




Eternal Spring 7636



Teal Twist 7555



Popular Green 7635



Fontainbleau 7523



Gentle Green 7642



Meadow Green 7528



Japanese Garden 7633




Coastal Breeze 7522




Blueberry




Blue stabilizes and sharpens minds.



Icy Blue 7252




Walking on Clouds 7323



Whispery Breeze 7412



High Spirits 7363



Moondancing 7251



Baby Boy Blue 7322



Walking on Air 7434



Bellissima 7354



Breezy Blue 7250



Beecher Falls 7305



New Day Sky 7410



Paradise Bay 7409

SUPERTECH

Gold

HIGH QUALITY EMULSION PAINT FOR **INTERIOR & EXTERIOR**
MATT FINISHING

TOA Supertech Gold is a specially formulated emulsion paint for interior and exterior walls. It has many color selection and has super high coverage and hiding power. It is also easy to apply and provides a durable and attractive matt smooth finishing on walls, asbestos, gypsum board, and bricks.

Surface Preparation

Ensure the surface to be painted is clean, dry, and free from oil, grease, dirt, and other foreign bodies. Remove all loose powdery residue by brushing, scraping, or using high pressure water jet. Areas affected by mold, lichen, algae, or moss must be treated with TOA Microkill. Repair the wall defects (hair-line crack) by using TOA Acrylic Filler or smoothen the walls by using TOA 102 D-Cote.

Apply TOA MultiSealer Wall Primer as a base coat for better adhesion and good alkali-resistant. DO NOT apply any paints on walls where moisture content is high or during the rainy weather. For better painting outcome, it is highly recommended to use TOA MultiSealer Wall Primer.

Application Details

Touch Dry : 20 minutes, depending on ambient temperature
 Recoating Interval : 1-2 hours
 Theoretical Coverage : 10-12 m²/litre
 No. of coats : Minimum 2 coats

Direction to Use

- Stir well before use.
- Application can be brush, roller, or spray
- Thinning is not required. If necessary, thin up to maximum of 10% water
- Clean all equipment with clean water immediately after use.

Safety Precaution

- Avoid contact with skin and eyes. It is advisable to wear eye protector while applying. In case of contact with eyes, rinse immediately with plenty of water and seek medical service.
- Keep container closed when not in use and out of reach of children.
- Keep away from high temperature. Store in cool place.
- Refer to TOA Paint Technical Service Data Sheet for further details.

TOA Supertech Gold 是特别配制用于室内和室外的乳胶漆。它容易使用，拥有多种颜色供选择和优越的遮盖力及亮丽顺滑的哑光外观。它适合于装饰户内外的水泥墙，石棉木块和砖块。

表面处理

确保所要涂刷的表面干透，清除表面的污迹，油迹，灰尘，剥落的漆及其它杂物。使用硬刷及用水冲洗所有松脱的旧漆及粉状物。凡有生长霉菌，苔藓或藻的表面，必须使用 TOA Microkill 冲洗。使用 TOA Acrylic Filler 修补幼细的裂缝或使用 TOA 102 D-Cote 抚平墙面。

为了更好的粘附力及抗碱性能，请使用 TOA MultiSealer Wall Primer 底漆作封底处理。请勿在水分含量较高的墙面和潮湿下雨的气候环境下施工。为了更好的油漆效果，建议使用 TOA MultiSealer Wall Primer 底漆。

施工细则

漆干 : 20分钟，视气候和潮湿度而定
 重涂间隔 : 1 - 2 小时
 理论覆盖面 : 每公升 10 - 12 平方米
 涂层次数 : 至少 2 层

使用方法

- 使用前必须搅拌均匀
- 可使用刷子，滚筒或喷雾器施工
- 产品不需稀释，如有必要稀释，可加不超过10%的清水
- 施工完毕后用清水洗净所有涂刷工具

安全注意事项

- 避免油漆触碰到皮肤和眼睛。建议在施工时佩戴护目镜。如果油漆意外接触到眼睛，必须使用大量清水冲洗，并且及时寻求医疗救护
- 紧闭漆罐盖子，并且远离儿童
- 远离高温环境，储存于阴凉处
- 产品详细数据请查阅 TOA Paint 技术服务数据表

TOA Supertech diformulasikan untuk kegunaan dinding dalam/ luar. Ia memberi sajian yang menyeluruh, dan kemasan yang menarik. Ia sesuai untuk sajian permukaan seperti dinding luar, asbestos, papan gypsum dan batu-bata

Persediaan Permukaan

Pastikan permukaan yang ingin di cat adalah bersih, kering, dan bebas daripada sebarang minyak, gris, debu dan sebarang benda-benda asing. Buang lapisan yang lekap dan mengelupas dengan memberus, mengikis atau menggunakan air dengan tekanan yang tinggi.

Permukaan yang dijangkiti dengan fungus, alge, atau kulat perlu dirawat dengan TOA Microkill Rawat dinding yang rosak (keretakan) dengan menggunakan TOA Acrylic Filler atau licinkan permukaan dengan menggunakan TOA 102 D-Cote.

Sapukan TOA Multi Sealer Wall Primer sebagai lapisan asas untuk lekatan yang lebih baik, dan tahan alkali. JANGAN sapukan cat pada permukaan yang mempunyai kelembapan yang tinggi atau semasa musim hujan untuk hasil cat yang lebih baik adalah amat digalakkan menggunakan TOA Multi Sealer Wall Primer.

Maklumat Aplikasi

Kering Sentuh : 20 minit, bergantung kepada suhu persekitaran
 Ulang cat : 1-2 jam
 Purata liputan : 10-12 m²/litre
 Bilangan Lapisan : Minima 2 lapisan

Cara Penggunaan

- Kacau cat sehingga sebati
- Gunakan alat-alat seperti berus, penggelek atau alat penyembur
- Pencairan tidak diperlukan, jika perlu, cairkan maksimum 10% air sahaja
- Bersihkan segala kelengkapan dengan air bersih selepas digunakan

Langkah Keselamatan

- Elakkan daripada terkena kulit dan mata. Amat digalakkan menggunakan perlindungan mata semasa mengecat. Jika terkena tangan, basuh dengan air bersih dan dapatkan rawatan dengan segera
- Pastikan tin sentiasa ditutup rapat dan jauhkan daripada kanak-kanak
- Jauhkan dari suhu yang keterlaluan dan simpan di tempat yang redup.
- Rujuk lampiran Data Perkhidmatan Teknikal TOA Paint untuk maklumat yang lebih lanjut



Painting System

Surface Preparation



Construction Chemicals
 Note: Please refer to its catalog

Primer



1 Coat of TOA Multi-Sealer Wall Primer

Top Coat



Supertech Gold for Exterior & Interior

Application System



TOA Paint Products Sdn. Bhd.

Lot 63802, Jalan Telok Gong, Telok Gong, 42000 Port Klang, Selangor, Malaysia

Tel : +603 3134 1629 / 3134 1639 Fax : +603 3134 1581

Email : toa@toagroup.com.my Website : toagroup.com.my

